


# **Declaration of Conformity & Technical Documentation**

### Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	compliance@cchobby.dk
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

#### **Object of declaration**

The subject of the declaration is the following products with their product name corresponding item numbers:







Pencil case, size 11x23 cm, 210 g, white, 1pc/ 1 pc Item no. 499907

#### **Product description**

Pencil case in 100% cotton with pre-printed motifs for you to colour in. A pencil case doesn't just have to be practical – it can also be pretty, personal and cool. It all depends on how you choose to decorate the pencil case. But no matter how the pencil case ends up being decorated, you can rest assured that no one will have one quite the same – either at school or on your study course. Once you've completely decorated your pencil case, you can fill it with lots of good writing utensils – from pencils and ballpoint pens to coloured pencils and markers. If you'd like to take on another creative project after the pencil case, you can always go all the way and decorate our tote bag and shoe bag in the same style. You can also browse our wide range of ready-made textiles, where you can find both printed and non-printed tote bags, shoe bags, tea towels and T-shirts. This pencil case is just waiting to be decorated – whether you prefer to do it with textile markers or textile paint. But before you start, it's a good idea to place a layer of paper, plastic or cardboard between the layers so that the colour does not rub off on the back. Once dry, heat-set the motifs on the pencil case with an iron to make them last.

#### Instructions of use

Crafting

#### **Textile Composition**

100% Cotton

# The object of the declaration is in conformity with the relevant EU harmonisation legislation (se specifications in Appendix 1)

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1) Regulation 2019/1021/EU on persistent organic pollutants (POP)

Compliance (name and function)



which conformity is declared Title Reference N/A N/A **Safety information** N/A Markings, claims, and certifications **Licensing Code** Name N/A N/A **Notified body** Not applicable Signature Holstebro 16-08-2024 (place) (date) Charlotte Pauli Adolphsen

(signature)

Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to



## Appendix 1 – Specifications

Material description (examples)	Textiles Textile products (e.g. t-shirts, caps, aprons), fabrics (as piece goods), yarns, all in natural and synthetic materials
Creativ Company requirements:	Requirement / Max level in the final product
Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII	Full compliance
CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC) Link: candidate-list-table	Not allowed
Substances on the Authorisation List (REACH, Annex XIV) Link: Authorisation List	Not allowed
Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)	Full compliance
BIOLOGICALLY ACTIVE FINISHING PRODUCTS	Use substances approved by OEKO-TEX:  OEKO-TEX Accepted Active Chemical Products

REACH Annex XVII entries of special importance:	
Substances restricted under REACH (Annex XVII)	
Creativ Company requirements:	Requirement / Max level in the final product
DIMETHYL FUMERATE (CAS NO 624-49-7)	0.1mg/kg (0.1ppm)
Entry 61	0.1mg/ kg (0.1ppm/
FORMALDEHYDE (CAS No 50-00-0)	75mg/kg (75ppm)
Entry 72	
SOLVENT RESIDUES Entry 72	Addition not allowed
Benzene (CAS No 71-43-2)	5mg/kg (5ppm)
ODCANOSTANNIC COMPOLINDS Fator 20	
ORGANOSTANNIC COMPOUNDS Entry 20 Tri-substituted organostannic compounds such as:	0.10/ /1000nnm) by weight of tin (Sn)
Tributyltin (TBT) compounds (CAS No 56573-85-4)	0.1% (1000ppm) by weight of tin (Sn)
Triphenyltin (TPT) compounds (CAS No 668-34-8)	
Triphenyitin (Tr 1) compounds (CA3 No 008-34-8)	
Dibutyltin (DBT) compounds (CAS No 1002-53-5)	0.1% (1000ppm) by weight of tin (Sn)
Dioctyltin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)
CHLORINATED PHENOLS Entry 22 Pentachlorophenol, salts	
and ethers (PCP)	0.1% (1000ppm)
(CAS No 87-86-5)	



ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub> C <sub>15</sub> H <sub>24</sub> O	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
POLYCYCLIC AROMATIC HYDROCARBON (PAH) Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBAhA) (CAS No 53-70-3)	1mg/kg (1ppm) each

FLAME RETARDANTS Entry 45	
· ·	
0.40/4000	
Diphenylether, octabromo derivative 0.1% (1000ppm)	
Entry 4	
Tris (2,3 dibromopropyl) phosphate (TRIS)  Not allowed	
(CAS no. 126-72-7)	
Entry 7	
Tris(aziridinyl)phosphinoxide, (TEPA)  Not allowed	
(CAS no. 545-55-1)	
Entry 8	
Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. Not allowed	
59536-65-1)	
33330-03-1)	
EXTRACTABLE HEAVY METALS Entry 72	
Cadmium (Cd) and its compounds 1 mg/kg (1ppm) for each metal,	
Hexavalent chromium (Cr(VI) ) compounds expressed as the base metal extractable from the	ie
Arsenic (As) compounds material	
Lead (Pb) and its compounds	
(For the above metals compounds:	
as listed in entry 28, 29, 30 Appendices 1-6)	
DYES, DISPERSE	
Entry 28, 30	
Pigment Red 104 (CAS No 12656-85-8) 0.1% (1000ppm) each	
Pigment Yellow 34 (CAS No 1344-37-2)	
Direct Black 38 (CAS No 1937-37-7)	
Direct Blue 6 (CAS No 2602-46-2)	
Entry 72	
Basic Violet 3 (CAS No 548-62-9) 50mg/kg (50ppm) each	
Disperse Blue 1 (CAS No 2475-45-8)	
Basic Red 9 (CAS No 569-61-9)	



<b>'BLUE COLOURANT'</b> Entry 43, Appendix 9	
Not allocated Component 1: CAS-No: 118685-33-9: C <sub>39</sub> H <sub>23</sub> ClCrN <sub>7</sub> O <sub>12</sub> S.2Na Component 2: C <sub>46</sub> H <sub>30</sub> CrN <sub>10</sub> S <sub>2</sub> .3 Na A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato) chromate(1-)	0.1% (1000ppm)

Creativ Company requirements:	Requirement / Max level in the final product
AZODYES, which by reductive cleavage of one or more azo	
groups, may release one or more of the aromatic amines	
listed below:	
Entry 43, Appendix 8	
Biphenyl-4-ylamine 4-aminobiphenyl xenylamine	Not allowed in detectable concentrations
(CAS No 92-67-1)	(Detectable concentration: >30mg/kg (30ppm))
Benzidine (CAS No 92-87-5)	
4-Chloro-o-toluidine (CAS No 95-69-2)	
2-Naphthylamine (CAS No 91-59-8)	
o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-	
tolylazo-o-toluidine (CAS No 97-56-3)	
5-Nitro-o-toluidine(CAS No 99-55-8)	
4-Chloroaniline (CAS No 106-47-8)	
4-Methoxy-m-phenylenediamine	
(CAS No 615-05-4)	
4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No	
101-77-9)	
3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1)	
3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4)	
3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7)	
4,4'-Methylenedi-o-toluidine (CAS No 838-88-0)	
6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8)	
4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-	
Methylene-dianiline (CAS No 101-14-4)	
4,4'-Oxydianiline (CAS No 101-80-4)	
4,4'-Thiodianiline (CAS No 139-65-1)	
o-Toluidine, 2-aminotoluene (CAS No 95-53-4)	
4-Methyl-m-phenylenediamine (CAS No 95-80-7)	
2,4,5-Trimethylaniline (CAS No 137-17-7)	
o-Anisidine, 2-methoxyaniline (CAS No 90-04-0)	
4-Amino azobenzene (CAS No 60-09-3)	



PHTHALATES Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)	Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)
Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5	Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)

Creativ Company requirements:	Requirement / Max level in the final product
PERFLUOROCARBOXYLIC ACIDS (PFCAs)	
REACH Annex XVII entry 30	
Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1)	25ppb
and its salt	
Entry 68	
C9-C14 linear and/or branched perfluorocarboxylic acids (C9-	Sum of C9-C14 PFCAs and their salts 25ppb
C14 PFCAs), their salts and C9-C14 PFCAs-related substances	Sum of C9-C14 PFCA-related substances 260ppb
Henicosafluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)	
Tricosafluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)	
Pentacosafluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)	
Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)	
Heptacosafluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)	
Nonadecafluorodecanoic acid (PFDA) (CAS No. 335-76-2)	
including their salts and precursors	
	,
Specific for metal parts (rivets, buttons, zippers, accessories etc.	
REACH Annex XVII entries to be observed: <u>Substances restricted</u>	under REACH (Annex XVII)
TOTAL HEAVY METALS	
REACH, Annex XVII entry 23	
Cadmium (Cd) (CAS No 7440-43-9) and its components	0.01% (100ppm)
cadman (ea) (e/15/140/14/0/45/5) and its components	0.01/0 (100ppiii)
Entry 63	
Lead (Pb) (CAS No 7439-92-1) and its compounds	0.05% (500ppm)
2555 (. 5) (5. 10 ) 155 52 1) and 165 65 11 pour 165	3.33/4 (333pp)
Entry 18	
Mercury (Hg) (CAS No 7439-97-6) and its compounds	100ppm <sup>1</sup>
2 11 / ( 3) ( 2 12 12 1 2 2 3 ) and 12 2 2 1 1	
	I .

<sup>&</sup>lt;sup>1</sup> Danish BEK 73 of 25/01/2016

Page 7 of 8



NICKEL (CAS No 7440-02-0) and its compounds	
Entry 27	
Nickel release (for metals with skin contact)	0.5 μg/cm²/week
Persistent organic pollutants (POP) of specific focus: Regulation 2019/1021/EU (POP)	
Creativ Company requirements:	Requirement / Max level in the final product
PERFLUORINATED CHEMICALS (PFCs)	
Perfluorooctane sulfonic acid and its derivatives (PFOS)	0.001% (10ppm)
FLAME RETARDANTS	
Deca-bromodiphenyl ether (decaBDE)	Addition not allowed
(CAS No 1163-19-5)	0.001% (10ppm)
SCCPs	
Alkanes C <sub>10</sub> -C <sub>13</sub> , chloro (short-chain chlorinated paraffins)	0.15% (1500ppm)