

# Declaration of Conformity & Technical Documentation

## Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	<a href="mailto:compliance@cchobby.dk">compliance@cchobby.dk</a>
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

## Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:



## Product description

With this kit you can make your own accessories out of shrink plastic sheets. Contains all the materials and instructions you need.

### Instructions of use



**The object of the declaration is in conformity with the relevant EU harmonisation legislation (see specifications in Appendix 1)**

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)

Regulation 2019/1021/EU on persistent organic pollutants (POP)

**Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared**

**Title**  
N/A

**Reference**  
N/A

### Safety information

N/A

### Markings, claims, and certifications

N/A

### Notified body

Not applicable

Signature

Holstebro


05-09-2024

(place)

(date)

Charlotte Pauli Adolphsen  
Compliance

(name and function)

A handwritten signature in blue ink is written over a horizontal line. Above the signature is a faint, semi-transparent watermark of the 'creativ' logo. Below the signature is a faint, semi-transparent stamp containing the text 'creativ', 'EUROPEAN CONFORMITY', and 'Holstebro'.

(signature)

## Appendix 1 – Specifications

	<b>Jewelry</b> <i>Earrings and hooks, finger rings, bracelets, necklaces, hair accessories, all materials for DIY jewellery incl. beads, yarns, leather and other ornaments in metal, ceramics or glass</i>
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII</b>	Full compliance
<b>CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC)</b> Link: <a href="#">candidate-list-table</a>	Not allowed
<b>Substances on the Authorisation List (REACH, Annex XIV)</b> Link: <a href="#">Authorisation List</a>	Not allowed
<b>Compliance to Regulation <a href="#">2019/1021/EU</a> on persistent organic pollutants (POP)</b>	Full compliance

<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>TOTAL HEAVY METALS</b> REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components	0.01% (100ppm)
Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds	0.05% (500ppm)
Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds	100ppm <sup>1</sup>
<b>Specific for plastic, rubber and silicone parts including paint and lacquer:</b> REACH Annex XVII entries to be observed: <a href="#">Substances restricted under REACH (Annex XVII)</a>	
<b>POLYCYCLIC AROMATIC HYDROCARBON (PAH)</b> Entry 50 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBAhA) (CAS No 53-70-3)	1mg/kg (1ppm) each For articles intended for children: 0.5mg/kg (0.5ppm) each

<sup>1</sup> Danish BEK 73 of 25/01/2016

<b>FLAME RETARDANTS</b> Entry 45 Diphenylether, octabromo derivative	0.1% (1000ppm)
<b>PHTHALATES</b> Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5  Entry 52 Di-‘isononyl’ phthalate (DINP) (CAS No 28553-12-0 and 68515-48-0) Di-‘isodecyl’ phthalate (DIDP) (CAS No 26761-40-0 and 68515-49-1) Di-n-octyl phthalate (DNOP) (CAS No 117-84-0)	Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)  For article intended for children: 0.01% (100ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
<b>Persistent organic pollutants (POP) of specific focus:</b> <a href="#">Regulation 2019/1021/EU (POP)</a>	
<b>SCCPs</b> Alkanes C <sub>10</sub> -C <sub>13</sub> , chloro (short-chain chlorinated paraffins)	0.15% (1500ppm)
<b>FLAME RETARDANTS</b> Deca-bromodiphenyl ether (decaBDE) (CAS No 1163-19-5)	Addition not allowed 0.001% (10ppm)
<b>Specific for metal parts or parts with metallic coating:</b> REACH Annex XVII entries to be observed: <a href="#">Substances restricted under REACH (Annex XVII)</a>	
<b>NICKEL (CAS No 7440-02-0) and its compounds</b> Entry 27 Nickel release (for metals with skin contact)  Nickel release (piercing products)	0.5 µg/cm <sup>2</sup> /week  0.2 µg/cm <sup>2</sup> /week
<b>Specific for Sterling silver products and silver plating on jewellery parts:</b>	
<b>SILVER</b> (CAS No 7440-2-4)	Must contain ≥ 92.5%

<b>Specific for leather parts or parts covered by leather</b>	
<b>Creativ Company requirements:</b>	<b>Requirement / Max level in the final product</b>
<b>CHROMIUM VI COMPOUNDS</b> Entry 47	3 mg/kg (3ppm)
<b>ORGANOSTANNIC COMPOUNDS</b> Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8)  Dibutyltin (DBT) compounds (CAS No 1002-53-5)	0.1% (1000ppm) by weight of tin (Sn)  0.1% (1000ppm) by weight of tin (Sn)
<b>CHLORINATED PHENOLS</b> Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)
<b>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES</b> Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub> C <sub>15</sub> H <sub>24</sub> O	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
<b>FLAME RETARDANTS</b> Entry 45 Diphenylether, octabromo derivative  Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7)  Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1)  Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm)  Not allowed  Not allowed  Not allowed
<b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b> Entry 61	0.1mg/kg (0.1ppm)
<b>DYES, DISPERSE</b> Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>'BLUE COLOURANT'</b> Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: <math>C_{39}H_{23}ClCrN_7O_{12}S_2Na</math> Component 2: <math>C_{46}H_{30}CrN_{10}S_2 \cdot 3 Na</math> A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1-naphtholato) chromate(1-)</p>	<p>0.1% (1000ppm)</p>
<p><b>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</b> Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1) Benzidine (CAS No 92-87-5) 4-Chloro-o-toluidine (CAS No 95-69-2) 2-Naphthylamine (CAS No 91-59-8) o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3) 5-Nitro-o-toluidine(CAS No 99-55-8) 4-Chloroaniline (CAS No 106-47-8) 4-Methoxy-m-phenylenediamine (CAS No 615-05-4) 4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9) 3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1) 3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4) 3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7) 4,4'-Methylenedi-o-toluidine (CAS No 838-88-0) 6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8) 4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4) 4,4'-Oxydianiline (CAS No 101-80-4) 4,4'-Thiodianiline (CAS No 139-65-1) o-Toluidine, 2-aminotoluene (CAS No 95-53-4) 4-Methyl-m-phenylenediamine (CAS No 95-80-7) 2,4,5-Trimethylaniline (CAS No 137-17-7) o-Anisidine, 2-methoxyaniline (CAS No 90-04-0) 4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: &gt;30mg/kg (30ppm))</p>

Creativ Company requirements:	Requirement / Max level in the final product
<b>PERFLUOCARBOXYLIC ACIDS (PFCAs)</b> REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt  Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances  <i>Henicosafleuroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosafleurododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosafleurotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosafleurotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecafleurodecanoic acid (PFDA) (CAS No. 335-76-2)</i>  <i>including their salts and precursors</i>	25ppb  Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb

<b>Specific for textile parts or parts covered by textile:</b>	
Creativ Company requirements:	Requirement / Max level in the final product
<b>BIOLOGICALLY ACTIVE FINISHING PRODUCTS</b>	Use substances approved by OEKO-TEX: <a href="#">OEKO-TEX Accepted Active Chemical Products</a>
<b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b> Entry 61	0.1mg/kg (0.1ppm)
<b>FORMALDEHYDE (CAS No 50-00-0)</b> Entry 72	75mg/kg (75ppm)
<b>SOLVENT RESIDUES</b> Entry 72 Benzene (CAS No 71-43-2)	Addition not allowed 5mg/kg (5ppm)
<b>ORGANOSTANNIC COMPOUNDS</b> Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8)  Dibutyltin (DBT) compounds (CAS No 1002-53-5)  Diocetyl tin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)  0.1% (1000ppm) by weight of tin (Sn)  0.1% (1000ppm) by weight of tin (Sn)
<b>CHLORINATED PHENOLS</b> Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)
<b>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES</b> Entry 46	Addition not allowed 0.1% (1000ppm)



Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub> C <sub>15</sub> H <sub>24</sub> O	0.01% (100ppm)
<b>POLYCYCLIC AROMATIC HYDROCARBON (PAH)</b> Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBA <sub>h</sub> A) (CAS No 53-70-3)	1mg/kg (1ppm) each

<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>FLAME RETARDANTS</b> Entry 45 Diphenylether, octabromo derivative  Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7)  Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1)  Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm)  Not allowed  Not allowed  Not allowed
<b>EXTRACTABLE HEAVY METALS</b> Entry 72 Cadmium (Cd) and its compounds Hexavalent chromium (Cr(VI) ) compounds Arsenic (As) compounds Lead (Pb) and its compounds (For the above metals compounds: as listed in entry 28, 29, 30 Appendices 1-6)	1 mg/kg (1ppm) for each metal, expressed as the base metal extractable from the material
<b>DYES, DISPERSE</b> Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each
Entry 72 Basic Violet 3 (CAS No 548-62-9) Disperse Blue 1 (CAS No 2475-45-8) Basic Red 9 (CAS No 569-61-9)	50mg/kg (50ppm) each

<p><b>'BLUE COLOURANT'</b> Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: <math>C_{39}H_{23}ClCrN_7O_{12}S_2Na</math> Component 2: <math>C_{46}H_{30}CrN_{10}S_2 \cdot 3 Na</math> A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-)</p>	<p>0.1% (1000ppm)</p>
--	-----------------------

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</b> Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1) Benzidine (CAS No 92-87-5) 4-Chloro-o-toluidine (CAS No 95-69-2) 2-Naphthylamine (CAS No 91-59-8) o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3) 5-Nitro-o-toluidine(CAS No 99-55-8) 4-Chloroaniline (CAS No 106-47-8) 4-Methoxy-m-phenylenediamine (CAS No 615-05-4) 4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9) 3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1) 3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4) 3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7) 4,4'-Methylenedi-o-toluidine (CAS No 838-88-0) 6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8) 4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4) 4,4'-Oxydianiline (CAS No 101-80-4) 4,4'-Thiodianiline (CAS No 139-65-1) o-Toluidine, 2-aminotoluene (CAS No 95-53-4) 4-Methyl-m-phenylenediamine (CAS No 95-80-7) 2,4,5-Trimethylaniline (CAS No 137-17-7) o-Anisidine, 2-methoxyaniline (CAS No 90-04-0) 4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: &gt;30mg/kg (30ppm))</p>

<p><b>PHTHALATES</b> Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p>	<p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)</p>
<p>Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>	<p>Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>PERFLUOROCARBOXYLIC ACIDS (PFCAs)</b> REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaf fluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaf fluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaf fluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaf fluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecaf fluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>